




M A C S T E E L

# PROFILÉS À FROID

## Panne C+



PROFILS	Dimensions				A	P	I <sub>y</sub> (cm <sup>4</sup> )	Relation Y-Y		Relation Z-Z	
	h (mm)	b (mm)	c (mm)	t (mm)				W <sub>y</sub> (cm <sup>3</sup> )	I <sub>z</sub> (cm <sup>4</sup> )		W <sub>z</sub> (cm <sup>3</sup> )
<b>C+300</b>	C+300x3.0	300	80	25	3.00	14.98	11.89	1926	129.7	126.8	22.52
	C+300x2.5	300	80	25	2.50	12.56	9.99	1626	109.3	108.8	19.27
	C+300x2.0	300	80	25	2.00	10.09	8.06	1315	88.2	89.2	15.76
<b>C+250</b>	C+250x3.0	250	80	25	3.00	13.5	10.71	1246	100.9	119.8	22.17
	C+250x2.5	250	80	25	2.50	11.33	9.01	1053	85.1	102.7	18.96
	C+250x2.0	250	80	25	2.00	9.11	7.27	852	68.7	84.2	15.52
<b>C+220</b>	C+220x3.0	220	80	25	3.00	12.61	10.01	920	84.8	114.8	21.89
	C+220x2.5	220	80	25	2.50	10.59	8.42	778	71.6	98.4	18.73
	C+220x2.0	220	80	25	2.00	8.52	6.8	631	57.9	80.7	15.33
<b>C+200</b>	C+200x3.0	200	80	25	3.00	11.87	9.32	743.35	74.34	102.36	18.61
	C+200x2.5	200	80	25	2.50	9.95	7.81	626.81	62.68	87.25	15.87
	C+200x2.0	200	80	25	2.00	8.01	6.29	507.35	50.73	71.39	13
<b>C+150</b>	C+150x3.0	150	80	25	3.00	10.37	8.14	382.57	51	92.87	18
	C+150x2.5	150	80	25	2.50	8.7	6.83	323.17	43.09	79.16	15.36
	C+150x2.0	150	80	25	2.00	7.01	5.5	262	34.94	64.77	12.58